

DECKING BALUSTRADES 2013/

œ

3



GIVE YOUR SUMMER A UNIQUE FINISHING TOUCH WITH OUR STUNNING BALUSTRADES/

Cheshire Mouldings is the UK's leading manufacturer of outdoor balustrade components because we go further to give you the best possible finish, turning decking into a sensational seasonal living experience that lasts year after year. Only the finest quality timbers make it into our products, all from sustainable sources, and designed to give your decking a unique quality finish you'll be proud of now and for years to come.

CORE TURNED & CONTEMPORARY

We have the perfect solution for every style of decking. Whether you're looking for understated elegance or contemporary flair we have a portfolio that will compliment your environment and personal taste. From our **Core DEK** range, with traditional turned and stop chamfered designs bringing classical elegance to any decking feature, to our **Axxys** DEK, Metal DEK, Clear DEK and Modern DEK which are at the cutting edge of outdoor balustrade design with their use of toughened glass and cast metal details.

OUALITY THAT LASTS

At Cheshire Mouldings we take pride in the quality of our decking components, because we understand how important they are in creating the right finish and how that finish needs to be sustainable, year after year. That's why all our softwood balustrades come pre-treated with TANALITH E preservative to help protect your deck from the inside out. Other than pressure washing and resealing once or twice a season, all you have to do with your deck is literally sit back and enjoy it.

DECKING DONE THE RIGHT WAY

As members of the Timber Decking Association we understand just how important good design and use of the best materials is. Above all we understand that a good deck is a safe deck, which is why our systems are tested to BSBS6180:1999. Decks can also be substantial features in their own right and so our advice to homeowners and contractors alike is to always check with your local planning authority before you start your project.

Look for FSC[®] certified products





www.pefc.org



RED HARDWOOD/06 CORE DEK TURNED

SOFTWOOD/08

SOFTWOOD/04

CORE DEK TURNED RED HARDWOOD/10

CORE DEK AMERICAN SOFTWOOD/12

CORE DEK SQUARED SOFTWOOD/14

AXXYS[®] DEK STOP CHAMFERED SOFTWOOD/16

CORE DEK STOP CHAMFERED

CORE DEK STOP CHAMFERED

AXXVS[®] DEK STOP CHAMFERED **RED HARDWOOD/18**

AXXVS[®] DEK FRETTED SOUARE SOFTWOOD/20

METAL DEK BOW & EDEN ALUMINIUM/22

CLEAR DEK CLEAR SOFTWOOD/24

MODERN DEK ZINC/26

COMPONENTS/28

Whilst every care has been taken to ensure the accuracy of this brochure., we cannot accept responsibility for the colour representation of our wood products due to the restrictions of the printing process.



STOP CHAMFERED

The solidity of our stop chamfered range can take everything nature can throw at it and still look great as the sun goes down.





| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|-------------------|--------------------------|----------------|--------------|-------|
| 0 | DEP12CB/15CB/24CB | Chamfered & beaded newel | 1250/1500/2400 | Treated pine | 1 |
| 2 | DHU1.8/2.4 | Universal rail | 1795/2395 | Treated pine | 1 |
| 3 | DEDST9041P | Stop chamfered baluster | 41 | Treated pine | 1 |



STOP CHAMFERED RED HARDWOOD/

Stop chamfered is the perfect design for red hardwood.

Its simplicity lets us focus on the main attraction; one of nature's finest timbers and a species whose rightful place is the great outdoors.




| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|--------------|--------------------------|-----------|--------------|-------|
| 0 | DEP15CBM | Chamfered & beaded newel | 1495 | Red hardwood | 1 |
| 2 | DHR1.2/1.8M | Hardwood Handrail | 1195/1795 | Red hardwood | 1 |
| 3 | DBR1.2/1.8M | Hardwood Baserail | 1195/1795 | Red hardwood | 1 |
| 4 | DCAP1.2/1.8M | Rail cap | 1195/1795 | Red hardwood | 1 |
| 6 | DEDST9041M | Stop chamfered spindle | 41 | Red hardwood | 1 |





TURNED SOFTWOOD/

Seasons come and go but our turned decking range is a timeless classic. It's also one of our most flexible designs and works beautifully in gardens of all shapes and sizes.





| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|----------------|-----------------------------|-----------|--------------|-------|
| 0 | DEP12CAP/15CAP | Turned newel | 1250/1500 | Treated pine | 1 |
| 2 | DHNEW1.8/2.4 | Double stack universal rail | 1795/2395 | Treated pine | 1 |
| 8 | DED90 | Turned spindle | 41 | Treated pine | 1 |
| | | | | | |


• Alternative rails as show in photograph Quote Code DHU1.8 / 2.4




TURNED RED HARDWOOD/

Stunning is the only way to describe the red hardwood version of our traditional turned Core Dek range.

The colour. The feel. There's no better deck.



| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|--------------|-------------------|-----------|--------------|-------|
| 0 | DEP15CAPM | Turned newel post | 1495 | Red hardwood | 1 |
| 2 | DHR1.2/1.8M | Handrail | 1195/1795 | Red hardwood | 1 |
| 3 | DBR1.2/1.8M | Baserail | 1195/1795 | Red hardwood | 1 |
| 4 | DCAP1.2/1.8M | Handrail cap | 1195/1795 | Red hardwood | 1 |
| 6 | DED90M | Turned spindle | 41 | Red hardwood | 1 |





AMERICAN SOFTWOOD/

There's no doubt the design of our American range is engrained with its colonial heritage, but by adding our flat-top capping rail we've made these decks more practical and a great place to while away the hours.



| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|---------------------|--------------------------|----------------|--------------|-------|
| | 1 DEP12CB/15CB/24CB | Chamfered & beaded newel | 1250/1500/2400 | Treated pine | 1 |
| | 2 DCMR | Pine rail | 1795 | Treated pine | 1 |
| | 3 DCVRB | Rail fixing brackets | N/A | ABS | 2 |
| | 4 DCAP18 | Capping rail | 1795 | Treated pine | 1 |
| | 5 DECAM | American baluster | 27 | Treated pine | 1 |
| _ | | | | | |



For further information or assistance on our extensive range of decking accessories, contact our friendly customer service team freephone: **0800 085 3475** email: **enquiries@cheshiremouldings.co.uk** visit us at: **www.cheshiremouldings.co.uk**

SOFTWOOD/

For those that like to keep it simple, our square blanks are just perfect. They're also made from the same great quality pine as the rest of our decking range so there's no sacrificing quality even if the function's more important than the form.



| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|-------------------|--------------------------|----------------|--------------|-------|
| 0 | DEP12CB/15CB/24CB | Chamfered & beaded newel | 1250/1500/2400 | Treated pine | 1 |
| 2 | DHU1.8/2.4 | Universal decking rail | 1795/2395 | Treated pine | 1 |
| 8 | 41PBTR | Treated deck blank | 41 | Treated pine | 1 |






STOP CHAMFERED SOFTWOOD/

axxys° **DEK** is a contemporary range of decking products designed to inspire.

A modular system of pine timbers with metal and ABS components, **axxys DEK** removes the rigid boundary between your indoor and outdoor spaces to create a complete living environment.










| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | ΡΚ ΟΤΥ |
|---|---------------|--|-----------|--------------|--------|
| 1 | ADNP13/ADNP15 | axxys[•] DEK Square newel post | 1295/1495 | Treated pine | 1 |
| 2 | ADRAIL1.8 | axxys DEK Universal rail | 1795 | Treated pine | 1 |
| 3 | ADUNICONA | axxys[•] DEK Handrail/Baserail connector | N/A | Zamac3 | 1 pair |
| 4 | ADUNICONA | axxys[•] DEK Handrail/Baserail connector | N/A | Zamac3 | 1 pair |
| 5 | ADSTB | axxys[•] DEK Stop chamfered | N/A | Treated pine | 1 |
| 6 | ADFTB | axxys[•] DEK Fretted baluster | N/A | Treated pine | 1 |
| 7 | ADTBA | axxys[®] DEK Baluster brackets | N/A | ABS | 1 pair |
| 8 | ADCAPA | axxys[®] DEK Newel cap | N/A | ABS | 1 |



axxys° **DEK**

STOP CHAMFERED RED HARDWOOD/

We didn't think it was possible to make **axxys*** **DEK** any better. Until we launched our red hardwood version that is!









| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|--------------|--|-------|--------------|--------|
| 1 | ADNP15M | axxys[®] DEK Square newel post | 1495 | Red hardwood | 1 |
| 2 | ADRAIL1.8M | axxys[•] DEK Universal rail | 1795 | Red hardwood | 1 |
| 3 | ADUNICONA | axxys DEK Handrail/Baserail connector | N/A | Zamac3 | 1 Pair |
| 4 | ADUNICONA | axxys DEK Handrail/Baserail connector | N/A | Zamac3 | 1 Pair |
| 6 | ADSTBM | axxys[*] DEK Stop chamfered baluster | N/A | Red hardwood | 1 |
| 6 | ADTBA | axxys[®] DEK Baluster brackets | N/A | ABS | 1 Pair |
| 1 | ADCAPA | axxys [•] DEK Newel cap | N/A | ABS | 1 |




axxys° **DEK**

FRETTED SOFTWOOD/

Use the easy to install **axxys DEK** to create a brand new decking feature from the ground up or to add modern touches to an existing deck platforms.

Engineered to last, **axxys**^{*}**DEK** is the contemporary choice for all seasons.



| | PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---|---------------|---|-----------|--------------|--------|
| 0 | ADNP13/ADNP15 | axxys[*] DEK Square newel post | 1295/1495 | Treated pine | 1 |
| 2 | ADRAIL1.8 | axxys [*] DEK Universal rail | 1795 | Treated pine | 1 |
| 8 | ADUNICONA | axxys * DEK Handrail/Baserail connector | N/A | Zamac3 | 1 Pair |
| 4 | ADUNICONA | axxys * DEK Handrail/Baserail connector | N/A | Zamac3 | 1 Pair |
| 5 | ADSTB | axxys * DEK Stop chamfered | N/A | Treated pine | 1 |
| 6 | ADFTB | axxys * DEK Fretted baluster | N/A | Treated pine | 1 |
| 1 | ADTBA | AXXYS[®] DEK Baluster brackets | N/A | ABS | 1 Pair |
| 8 | ADCAPA | axxys[*] DEK Newel cap | N/A | ABS | 1 |










METAL **DEK**

BOW & EDEN ALUMINIUM/

New for 2013 our Bow and Eden balusters are the perfect way to customise your decking project.

Their subtle curvatures give visual depth to your balustrade just as their jet-black finish adds another layer of texture to any garden.



| PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|---------------------|----------------------------|----------------|---------------------|-------|
| 1 DEP12CB/15CB/24CB | Chamfered & Beaded newel * | 1250/1500/2400 | Treated pine | 1 |
| 2 DCMR | Metal baluster pine rail | 1795 | Treated pine | 1 |
| 3 DCVRB | Rail fixing brackets | N/A | ABS | 2 |
| 4 DCAP18 | Capping rail | 1795 | Treated pine | 1 |
| 5 DEK-BOW | Metal balusters | N/A | Black powder coated | 5 |
| 6 DEK- EDEN | Metal balusters | N/A | Black powder coated | 5 |



Available in Thermowood® and Treated Softwood. For more information, call our sales team on: **0800 085 3475**


*Alternative wood newel posts available



CLEAR SOFTWOOD/

Clear Softwood blends the organic warmth of quality timbers with stunning glass balusters for a deck that blends traditional and contemporary.

The result is a brilliant frame to nature's perfect backdrop.



| PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|-----------------|----------------------------|-----------|-----------------|--------|
| 1 ADNP13/ADNP15 | Square newel post | 1250/1500 | Treated pine | 1 |
| 2 DCLRAIL | Clear rail | 1795 | Treated pine | 1 |
| 3 DCAP18 | Clear capping rail | 1750 | Treated pine | 1 |
| 4 DCVRB | Clear rail fixing brackets | N/A | ABS | 1 pair |
| 5 DCLPAN | Clear panels | 820 | Toughened glass | 7 |
| 6 ADCAPA | Newel cap | N/A | ABS | 1 |



Available in Thermowood® and Treated Softwood. For more information, call our sales team on: **0800 085 3475**



MODERN DEK AVAILABLE FROM APRIL 2013

MODERN DEK/

This spring Cheshire Mouldings takes the contemporary look to a whole new level with the introduction of Modern DEK, our low maintenance aluminium extrusion balustrade system. This unique range boasts zinc brackets and a powder coated exterior for an ultra-modern, sleek finish that will perfectly enhance any refurbishment project. It's simplicity itself to install and can be combined with existing ranges for complete flexibility. For a modern look that is sure to be a timeless classic, Modern DEK offers something unique for a modern age.

For the latest news about the launch of this stunning range visit our website **www.cheshiremouldings.co.uk**



| PRODUCT CODE | DESCRIPTION | SIZES | TIMBER | PKQTY |
|--------------|--|-------|-----------------|--------|
| MTRB | Universal rail connectors | N/A | Zinc | 1 pair |
| MTSR | Universal spindle rail | 1800 | Aluminium | 1 |
| MTGR | Universal glass panel | 1800 | Aluminium | 1 |
| MTPST | Aluminium deck post inc fixings and cap* | 1200 | Aluminium | 1 |
| DCLPAN | Clear panels | 820 | Toughened glass | 7 |

*Alternative wood newel post available




DECKING COMPONENTS/ SOFTWOOD DECKING/ METAL & MODERN DEK/ HARDWOOD DECKING/ CLEAR & AXXYS DEK/ TIMBER TREATMENT/

SOFTWOOD DECKING/COMPONENTS

| Timber | Product | Size | Pack | RRP |
|---------|---------|------|------|-----|
| /Finish | Code | | Qty | |

HANDRAILS & BASERAILS

| TREATED PINE | DHU18 | 1800 x 44 x 68 | 1 | |
|--------------|----------|----------------|---|--|
| TREATED PINE | DHU24 | 2400 x 44 x 68 | 1 | |
| TREATED PINE | DHNEW1.8 | 1800 x 38 x 75 | 1 | |
| TREATED PINE | DHNEW24 | 2400 x 38 x 75 | 1 | |
| | | | | |










SPINDLES

| TREATED PINE | 41PBTR | 895 x 41 x 41 | 1 | |
|--------------|------------|---------------|---|--|
| TREATED PINE | DED90 | 895 x 41 x 41 | 1 | |
| TREATED PINE | DEDST9041P | 895 x 41 x 41 | 1 | |








DEDST9041P Treated Stop Chamfered Spindle 895 x 41 x 41mm

SOFTWOOD DECKING/COMPONENTS

TimberProductSizePackRRP/FinishCodeQty


DECK POSTS


| TREATED PINE | DEP12BLANK | 1250 x 82 x 82 | 1 | |
|--------------|------------|----------------|---|--|
| TREATED PINE | DEP12CAP | 1250 x 82 x 82 | 1 | |
| TREATED PINE | DEP15CAP | 1500 x 82 x 82 | 1 | |
| TREATED PINE | DEP12CB | 1250 x 82 x 82 | 1 | |
| TREATED PINE | DEP15CB | 1500 x 82 x 82 | 1 | |
| TREATED PINE | DEP24CB | 2400 x 82 x 82 | 1 | |
| TREATED PINE | DEP12ST | 1250 x 82 x 82 | 1 | |
| TREATED PINE | DEP15ST | 1500 x 82 x 82 | 1 | |
| | | | | |



DECK PANELS

| TREATED PINE | DESUN | 1130 x 760 x 41 | 1 | |
|--------------|-------|-----------------|---|--|
| TREATED PINE | DEHAT | 1135 x 760 x 32 | 1 | |






/31

SOFTWOOD DECKING/COMPONENTS

AMERICAN RANGE

| INLAILD FINL | DCMR | 1795 x 85 x 35 | 1 |
|--------------|-------|----------------|---|
| TREATED PINE | DECAM | 895 x 27 x 27 | 1 |



CAPS


| CHIJ | | | |
|--------------|-------|----------------|---|
| TREATED PINE | DEB | 132 x 85 x 85 | 1 |
| TREATED PINE | DEAC | 132 x 84 x 84 | 1 |
| TREATED PINE | DEPTC | 27 x 115 x 115 | 1 |



DECAM American Spindle 895 x 27 x 27 mm

TREAD STRINGS

| TREATED PINE | DS3 | 245 x 868 x 45 | 1 |
|--------------|-----|-----------------|---|
| TREATED PINE | DS5 | 245 x 1447 x 45 | 1 |



METAL & MODERN DEK/FIXINGS

Timber Product Size Pack RRP /Finish Code Qty

FIXINGS

| ZINC STEEL | DSCREW100 | 100mm | 50 |
|------------|-----------|-------|-----|
| ZINC STEEL | DSCREW150 | 150mm | 50 |
| ZINC STEEL | DSCREW40 | 40mm | 150 |
| ZINC STEEL | DSCREW50 | 50mm | 200 |
| ZINC STEEL | DSCREW63 | 60mm | 200 |
| ZINC STEEL | DSCREW75 | 75mm | 200 |
| ZINC STEEL | DECKIT | N/A | 1pr |
| | | | |



6 0



DSCREW50 Screw Somm - 200 per pack

DSCREW150
Landscape Screw
150mm - 50 per pack

DSCREW63 Screw 60mm - 200 per pack ∕♪

DEK-EDEN Eden Metal Dek Balusters 820 x 26 x 6mm Pack of Five

ē 0

0

& DSCREW75 Screw 75mm - 200 per pack 1

BOW & EDEN FIXINGS/

| ALUMINIUM | DEK-EDEN | 820 x 26 x 6 | 5 |
|--------------|----------|----------------|-----|
| ALUMINIUM | DEK-BOW | 820 x 26 x 6 | 5 |
| TREATED PINE | DCMR | 1795 x 35 x 85 | 1 |
| ABS | DCVRB | N/A | 1pr |

ALUMINIUM IS BLACK POWDER COATED

DEK-BOW Bow Metal Dek Balusters 820 x 26 x 6mm Pack of Five



MODERN DEK

| MTRB | N/A | 1 |
|-------|----------------|---|
| MTSR | 1800 x 60 x 55 | 1 |
| MTGR | 1800 X 60 X 55 | 1 |
| MTPST | 1200 x 82 x 82 | 1 |
| | MTSR MTGR | MTSR 1800 x 60 x 55 MTGR 1800 X 60 X 55 |


HARDWOOD DECKING/COMPONENTS

RRP

TimberProductSizePack/FinishCodeQty

HANDRAILS, BASERAILS & CAPPING RAILS

| RED HARDWOOD | DHR1.8M | 1800 x 58 x 44 | 1 |
|--------------|---------|----------------|---|
| RED HARDWOOD | DHR1.2M | 1200 x 58 x 44 | 1 |
| RED HARDWOOD | DBR1.8M | 1800 x 58 x 44 | 1 |
| RED HARDWOOD | DBR1.2M | 1200 x 58 x 44 | 1 |
| RED HARDWOOD | DCAP18M | 1800 x 71 x 20 | 1 |
| RED HARDWOOD | DCAP12M | 1200 x 71 x 20 | 1 |




SPINDLES

| RED HARDWOOD | DED90M | 895 x 41 x 41 | 1 |
|--------------|-------------|----------------|---|
| RED HARDWOOD | DED110M | 1100 x 41 x 41 | 1 |
| RED HARDWOOD | 41PBTRM | 895 x 41 x 41 | 1 |
| RED HARDWOOD | 41PBTR110M | 1100 x 41 x 41 | 1 |
| RED HARDWOOD | DEDST9041M | 895 x 41 x 41 | 1 |
| RED HARDWOOD | DEDST11041M | 1100 x 41 x 41 | 1 |
| | | | |

NEWELS

| RED HARDWOOD | DEP15CAPM | 1500 x 91 x 91 | 1 | |
|--------------|-----------|----------------|---|--|
| RED HARDWOOD | DEP15CBM | 1500 x 91 x 91 | 1 | |



CLEAR & AXXYS[®] DEK/COMPONENTS

| Timber /Finish | Product Code | Size | Pack RRP Qty | - | | 10 Rail | | <u>8</u> | | |
|---|------------------------|--|-----------------|-------------|---|--|--|--|--|--|
| CLEAR TREATED PINI TREATED PINI ABS GLASS | DCLRAIL | 1795 x 28 x 85 1795 x 80 x 26 N/A 8 x 150 x 820 | | - | Cleanvew Fall | DCAP18 DCAP18 Cleaview Capping Rail 26 x 80 x 1750mm | DCLPAN DCLPAN Clearvew Glass Panels (Pack of 7) 8 < 150 × 820mm | Exing Brackets | | |
| AXXYS | DEK | | | _ | 54 54 54 | 54 x 1795mm | | | | Danector |
| | | 1795 x 54 x 54 1795 x 54 x 54 81 x 81 x 1250 81 x 81 x 1500 | 1 | - - - | 205 | 0 | ADCAPA ADCAPA Axys Dek Newel Cap 100 x 100 x 35mm | 1250 | 1590 | ADDINCONB ADUNICONB Avery Dek HRJBR Connector One Part in Black |
| | ADNP15M ADSTB | 81 x 81 x 1500 55 x 21 x 887 55 x 21 x 887 | | - | ADSTB ADSTB AUST S5 x 21 x 887mm | sd Baluster | vel Cap | tre Newel Post | are Newel Post | ector. |
| TREATED PINE ALUMINIUM BLACK | ADCAPA ADCAPB | 55 x 21 x 887 100 x 100 x 35 100 x 100 x 35 | 1 | - | ADSTR 562 502 502 502 502 502 502 502 502 502 50 | ADFTB AST X Series So X1 x Series | ADCAPB ADCAPB Axys Der Newel | t ADNP13 Axys Dek Square Newel Post | ADNP15 AXWS Dek Square Newel Post | ADUNCONA ADUNCONA Avoys Dek HRUBR Conr One Part in Aluminum |
| BLACK | ADUNICONA ADUNICONB | | 1pr | _ | | | | | | |
| ALUMINIUM | | | 1pr 1pr | _ | | | | | ×. | |
| ALUMINIUM | | N/A | 1pr | - | sket | 7 acket | sket | 7 acket | A Dekhake Spindle Bracket rin Auminium | |
| ALUMINIUM | I ADTBAB | N/A | 10prs | _ | A Dek Baluster Bracket rin Auminium | | ek Baluster Bracke n Black | ter Br | cindle | |
| ALUMINIUN | I ADTBRKA | N/A | 1pr | _ | aaluste uminium | Balus | 3aluste ick | Balus | lake Sp Iminiur | |
| BLACK | ADTBB | N/A | 1pr | _ | air in Alu | ADTBAB ADTBAB Axys Dek Baluster Bracket Ten Paus in Auminum | air in Bla | ADTBB ADTBB AXYS Dek Baluster Bracket Ten Paus in Black | 3A in DekRi, ir in Alu | |
| BLACK | ADTBBB | N/A | 10prs | _ | ADTBA ADTBA Averys D One Pair i | ADTE Axoys Ten Pa | A AD TIB | ADTE ADTE | ADRBA AXXYS De Pair is | |

*NOTE FOR STOCKISTS - AXXYS DEK COMPONENTS MUST BE STORED UNDER COVER

TIMBER TREATMENT/

THE VERY BEST PROTECTION FOR YOUR DECKING TIMBERS/

The full range of softwood used for our decking products have been pressure treated within our own facilities with TANALITH E wood preservative. This latest generation, environmentally advanced formulation treatment provides a proven and superior long-term protection that will give you real confidence for your decking project. The resulting TANALISED E treated components are fully protected against all forms of wood decay and insect attack, giving a typical service life of 15 years and beyond.

The treated timber is initially pale green colouration, slowly weathering to a honey brown and to a silver grey. TANALISED E pressure treated timber does not need to be painted or stained to maintain the preservative protection, although a decorative coating can be added if desired.

WHAT IS TANALITH E?

TANALITH E is a unique, highly effective preservation protection system based on patented copper Triazole technology, developed by Arch, world leaders in timber protection technology. The copper is derived from recycled sources and is well known for its fungicidal and insecticidal properties. Combining copper with a dual triazole system broadens its spectrum of activity to give complete protection against all wood decay organisms. The triazoles used in TANALITH E are biodegradable and are commonly used to protect many of the food crops we eat.

PROVEN PERFORMANCE

TANALITH E wood preservative has now been used successfully in the UK for over 12 years and is the premium wood preservative in more than 35 countries worldwide. Not only does it meet the requirements of the industry standard BS8417, but its performance credentials exceed other world preservatives on the market. TANALITH E has been tested in more than 20 independent field sites around the world under a variety of conditions.

Our preservative treatments are strictly controlled by our own fully trained plant operators to ensure the correct level of protection for the timbers.



WORKING WITH TANALISED E PRESSURE TREATED TIMBER

With the preservative fully impregnated into the wood, TANALISED E pressure treated timber is a safe and versatile construction material. The normal precautions that would be used with untreated timber should be employed – a detailed consumer information leaflet is available on request.


If any cutting, notching or drilling is made to the treated timber components, any exposed surfaces must be liberally swabbed with ENSELE end grain preservative to maintain the integrity of the treatment. ENSELE end grain preservative is available through Cheshire Mouldings.



PRESSURE TREATED TIMBER



THE TREATMENT PROCESS




Timber loaded into treatment vessel. Initial vacuum applied and the timber cells are evacuated of air. Vacuum held.



Cylinder flooded under vacuum with TANALITH E wood preservative



Hydraulic pressure applied, forcing the preservative deep into the structure of the timber.



Final vacuum extracts excess preservative solution, which is pumped back to storage.



Low pressure inside timber draws in surface solution when vented to atmosphere. Treated timber is left to dry.







PRICE LIST

FLOORING BROCHURE

MOULDINGS BOOKLET



Cheshire Mouldings & Woodturnings Ltd Unit 7, Normans Road, Sutton, St. Helens WA9 4JQ Telephone +44 (0)1744 811 545 Fax +44 (0)1744 811 475 Email enquiries@cheshiremouldings.co.uk www.cheshiremouldings.co.uk

For sales or technical help call 0800 085 3475

© 2013 Cheshire Moulding & Woodturnings Ltd.

